

REGISTRATION REPORT

Part A

Risk Management

Product code: -

Product name(s): CIDETRAK-CM

Active Substance(s):

(E,E)-8,10-dodecadien-1-ol ; 230mg/dispenser

COUNTRY:

FRANCE

NATIONAL ASSESSMENT

Label extension according to Art. 51

Applicant: CERTIS Europe B.V.

Date: 25/11/2020

Table of Contents

1	DETAILS OF THE APPLICATION.....	3
1.1	APPLICATION BACKGROUND.....	3
1.2	ACTIVE SUBSTANCE APPROVAL.....	3
1.3	REGULATORY APPROACH	4
1.4	DATA PROTECTION CLAIMS	5
1.5	LETTER(S) OF ACCESS	5
2	DETAILS OF THE AUTHORISATION	5
2.1	PRODUCT IDENTITY	5
2.2	CLASSIFICATION AND LABELLING.....	5
2.2.1	<i>Classification and labelling under Directive 99/45/EC</i>	5
2.2.2	<i>Classification and labelling in accordance with Regulation (EC) No1272/2008</i>	5
2.2.3	<i>Other phrases in compliance with Regulation (EU) No 547/2011</i>	5
2.2.4	<i>Other phrases linked to the preparation</i>	6
	THE APPLICANT IS REQUIRED TO COMPLY WITH THE CURRENT APPLICABLE STANDARD FOR PPEs, MORE SPECIFICALLY STANDARD ISO EN 27065 FOR CLOTHING TYPE PPE.....	6
2.3	PRODUCT USES.....	7
3	RISK MANAGEMENT.....	9
3.1	REASONED STATEMENT OF THE OVERALL CONCLUSIONS TAKEN IN ACCORDANCE WITH THE UNIFORM PRINCIPLES.....	9
3.1.1	<i>Physical and chemical properties</i>	9
3.1.2	<i>Methods of analysis</i>	9
3.1.3	<i>Mammalian Toxicology.....</i>	9
3.1.4	<i>Residues and Consumer Exposure</i>	9
3.1.5	<i>Environmental fate and behaviour and ecotoxicology.....</i>	9
3.1.6	<i>Efficacy</i>	9
3.2	CONCLUSIONS ARISING FROM FRENCH ASSESSMENT	9
3.3	FURTHER INFORMATION TO PERMIT A DECISION TO BE MADE OR TO SUPPORT A REVIEW OF THE CONDITIONS AND RESTRICTIONS ASSOCIATED WITH THE AUTHORISATION	10
	APPENDIX 1 – COPY OF THE FRENCH DECISION	11
	APPENDIX 2 – COPY OF THE DRAFT PRODUCT LABEL AS PROPOSED BY THE APPLICANT	15
	APPENDIX 3 – LETTER(S) OF ACCESS	19

PART A – Risk Management

The company CERTIS Europe B.V. has requested a label extension in France for the product CIDETRAK-CM according to article 51 Regulation (EC) no 1107/2009¹.

This document describes the specific conditions of use and labelling required for extension of the registration of CIDETRAK-CM containing (E,E)-8,10-dodecadien-1-ol in France.

The conclusions of the risk assessment are based on the already existing registration of the preparation in France. Therefore, the evaluation of the current application is limited to the points not covered by the existing registration.

Appendix 1 of this document provides a copy of the French Decision.

Appendix 2 of this document is a copy of the draft product label as proposed by the applicant.

Appendix 3 of this document is a copy of the letter(s) of access.

1 DETAILS OF THE APPLICATION

1.1 Application background

CIDETRAK-CM is a vapour releasing product containing 230mg/dispenser of (E,E)-8,10-dodecadien-1-ol, for use as an attractant for pest control (sexual confusion). The aim of this registration application is to gain a label extension for crops of walnuts.

The complete GAP for the national application in France is provided below, under point 2.3.

1.2 Active substance approval

(E,E)-8,10-dodecadien-1-ol

COMMISSION IMPLEMENTING REGULATION (EU) No 918/2014 of 22 August 2014 amending Implementing Regulation (EU) No 540/2011 as regards the conditions of approval of the active substance Straight Chain Lepidopteran Pheromones

Specific provisions of regulation were as follows:

PART A

Only uses as attractants may be authorised.

PART B

For the implementation of the uniform principles as referred to in Article 29(6) of Regulation (EC) No 1107/2009, the conclusions of the review report on straight chain lepidopteran pheromones (SANCO/2633/2008) and in particular Appendices I and II thereof, as finalised in the Standing Committee on Plants, Animals, Food and Feed shall be taken into account.

Conditions of use shall include, where appropriate, risk mitigation measures.

The notifier shall submit confirmatory information as regards:

(1) the genotoxic profile of aldehyde group compounds;

(2) exposure of humans and the environment resulting from the different ways of application of Straight Chain

¹ REGULATION (EC) No 1107/2009 of the European Parliament and of the Council of 21 October 2009 concerning the placing of plant protection products on the market and repealing Council Directives 79/117/EEC and 91/414/EEC.

Lepidopteran Pheromones as plant protection product, in comparison with natural background levels of those pheromones.

The applicant shall submit to the Commission, the Member States and the Authority the information set out in point (1) by 31 December 2015 and the information set out in point (2) by 31 December 2016.'

There is no definitive EFSA Conclusion on the peer review of the pesticide risk assessment of the active substance.

A Review Report is available (SANCO/2633/08 – rev.14, 20 July 2018).

1.3 Regulatory approach

The present application (n°2019-4328) was evaluated in France by the French Agency for Food, Environmental and Occupational Health & Safety (Anses)².

The current document based on Anses' assessment of the application submitted for this product is in compliance with Regulation (EC) no 1107/2009, implementing regulations and French regulations.

Since the application is intended for use in France only, the draft Part A was not circulated for comments.

According to the French law and procedures, specific conditions of use are set out in the Decision letter.

The French Order of 4th May 2017³ provides that:

- unless formally stated in the product authorisation, the pre harvest interval (PHI) is at least 3 days;
- unless formally stated in the product authorisation, the minimum buffer zone alongside a water body is 5 m;
- unless formally stated in the product authorisation, the minimum re-entry period is 6 hours for field uses and 8 hours for indoor uses.

Drift reduction measures such as low-drift nozzles are not considered within the decision making process in France. However, drift buffer zones may be reduced under some circumstances as explained in appendix 3 of the above-mentioned French order.

The data taken into account are those deemed to be valid either at European Union level or at zonal/national level. This part A presents a summary of essential scientific points upon which recommendations are based and is not intended to show the assessment in detail.

The conclusions relating to the acceptability of risk are based on the criteria indicated in Regulation (EU) N°546/2011⁴, and are expressed as “acceptable” or “not acceptable” in accordance with those criteria.

Finally, the French Order of 26 March 2014⁵ provides that:

- an authorisation granted for a « reference » crop applies also for “linked” crops unless formally stated in the decision
- the “reference” and “linked crops are defined in appendix 1 of that French order. .

Thus, at French national level, possible extrapolation of submitted data and the corresponding assessment from “reference” crops to “linked” ones are undertaken even if not clearly requested by the applicant in their dRR, and a conclusion is reached on the acceptability of the intended uses on those “linked” crops. The aim of this Order, mainly based on the EU document on residue data extrapolation⁶ is to supply “minor” crops with registered plant

² French Food Safety Agency, Afssa, before 1 July 2010.

³ Arrêté du 4 mai 2017 relatif à la mise sur le marché et à l'utilisation des produits phytopharmaceutiques et de leurs adjutants visés à l'article L. 253-1 du code rural et de la pêche maritime <https://www.legifrance.gouv.fr/eli/arrete/2017/5/4/AGR1632554A/jo/texte>.

⁴ COMMISSION REGULATION (EU) No 546/2011 of 10 June 2011 implementing Regulation (EC) No 1107/2009 of the European Parliament and of the Council as regards uniform principles for evaluation and authorisation of plant protection products.

⁵ <http://www.legifrance.gouv.fr/eli/arrete/2014/3/26/AGR1407093A/jo>.

⁶ SANCO document “guidance document:- Guidelines on comparability, extrapolation, group tolerances and data requirements for setting MRLs”: SANCO/ 7525/VI/95 - rev.9.

protection products.

Therefore the GAP table (Section 2.3) and Decision may include uses on crops not originally requested by the applicant. The Decision, as reproduced in Appendix 1, takes also into account national provisions, including national mitigation measures.

1.4 Data protection claims

There is no new data submitted with this application.

1.5 Letter(s) of access

Not relevant for this application.

2 DETAILS OF THE AUTHORISATION

2.1 Product identity

Product name (code)	CIDETRAK-CM
Authorisation number	2130272
Function	Attractant for pest control (mating disruption product – sexual confusion)
Applicant	CERTIS Europe B.V.
Composition	Codlemone (=E,E-8,10-dodecadien-1-ol) : 230mg / dispenser
Formulation type (code)	Vapor releasing product (VP)
Packaging	Not relevant for extension of authorization according article 51.

2.2 Classification and labelling

2.2.1 Classification and labelling under Directive 99/45/EC

Not relevant for extension of authorisation according article 51.

2.2.2 Classification and labelling in accordance with Regulation (EC) No1272/2008

Not relevant for extension of authorisation according article 51.

2.2.3 Other phrases in compliance with Regulation (EU) No 547/2011

Refer to the decision of product authorization.

2.2.4 Other phrases linked to the preparation

The applicant is required to comply with the current applicable standard for PPEs, more specifically standard ISO EN 270657 for clothing type PPE

Wear suitable personal protective equipment⁸: refer to the Decision in Appendix 1.

Re-entry period⁹ : refer to the decision of product authorisation.

Pre-harvest interval¹⁰ : not relevant.

Other mitigation measures: refer to the decision of product authorisation.

The label must reflect the conditions of authorisation.

⁷ Protective clothing – Performance requirements for protective clothing worn by operators applying pesticides and for re-entry workers. EN ISO 27065:2017

⁸ If a tractor with cab is used, wearing gloves during application is only required when working with the spray mixture

⁹ The legal basis for this is **Titre I Article 3** of the French Order of 4th May 2017 concerning the marketing and use of products encompassed by article L. 253-1 of the rural code [that is, plant protection products/pesticides].

¹⁰ According to the French Order of 4th May 2017, PHI cannot be lower than 3 days unless specifically stated in the assessment and decision.

2.3 Product uses

Please note: The GAP Table below reports the intended uses proposed by the applicant, evaluated and concluded as safe uses by France as zRMS. Those uses are then granted in France.

PPP (product name/code):	CIDETRAK-CM													GAP rev. 1, date 2020-11-25
Active substance 1:	E,E-8,10-Dodecadien-1-ol (codlemone)													vapour releasing product (VP)
Safener:	n/a													Conc. of as: 230mg / dispenser
Synergist:	n/a													Conc. of safener: n/a
Applicant:	CERTIS Europe B.V.													Conc. of synergist: n/a
Zone(s):	Southern zone - FR													Professional use: <input checked="" type="checkbox"/>
Verified by MS:	yes													Non professional use: <input type="checkbox"/>
Field of use:	Agricultural pheromone used for sexual confusion													

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Use- No. (e)	Member state(s)	Crop and/ or situation (crop destination / purpose of crop)	F, Fn, Fpn G, Gn, Gpn or I	Pests or Group of pests controlled (additionally: developmental stages of the pest or pest group)	Application				Application rate			PHI (days)	zRMS conclusions
					Method / Kind	Timing / Growth stage of crop & season	Max. number a) per use b) per crop/ season	Min. interval between applications (days)	kg or L product / ha a) max. rate per appl. b) max. total rate per crop/season	g or kg as/ha a) max. rate per appl. b) max. total rate per crop/season	Water L/ha min / max		

Minor uses according to Article 51 – New uses claimed covered by the existing uses.

2	FR	Walnuts	F	<i>Cydia pomonella</i> / Codling moth	Manual / Dispenser for mating disruption	Before beginning of 1st generation moth flight of 1st species occurring	1	-	500 dispensers/ha	500 dispensers x 230 mg a.s. = 115 g a.s./ha	Not applicable	Not applicable	Acceptable
---	----	---------	---	--	---	---	---	---	----------------------	--	-------------------	-------------------	------------

Remarks table heading:	(a) e.g. wettable powder (WP), emulsifiable concentrate (EC), granule (GR). (b) Catalogue of pesticide formulation types and international coding system CropLife International Technical Monograph n°2, 6th Edition Revised May 2008. (c) g/kg or g/l.	(d) Select relevant. (e) Use number(s) in accordance with the list of all intended GAPs in Part B, Section 0 should be given in column 1. (f) No authorization possible for uses where the line is highlighted in grey, Use should be crossed out when the notifier no longer supports this use.
Remarks columns:	<p>1 Numeration necessary to allow references.</p> <p>2 Use official codes/nomenclatures of EU Member States.</p> <p>3 For crops, the EU and Codex classifications (both) should be used; when relevant, the use situation should be described (e.g. fumigation of a structure).</p> <p>4 F: professional field use, Fn: non-professional field use, Fpn: professional and non-professional field use, G: professional greenhouse use, Gn: non-professional greenhouse use, Gpn: professional and non-professional greenhouse use, I: indoor application.</p> <p>5 Scientific names and EPPO-Codes of target pests/diseases/ weeds or, when relevant, the common names of the pest groups (e.g. biting and sucking insects, soil born insects, foliar fungi, weeds) and the developmental stages of the pests and pest groups at the moment of application must be named.</p> <p>6 Method, e.g. high volume spraying, low volume spraying, spreading, dusting, drench Kind, e.g. overall, broadcast, aerial spraying, row, individual plant, between the plants - type of equipment used must be indicated.</p>	<p>7 Growth stage at first and last treatment (BBCH Monograph, Growth Stages of Plants, 1997, Blackwell, ISBN 3-8263-3152-4), including where relevant, information on season at time of application.</p> <p>8 The maximum number of application possible under practical conditions of use must be provided.</p> <p>9 Minimum interval (in days) between applications of the same product.</p> <p>10 For specific uses other specifications might be possible, e.g.: g/m³ in case of fumigation of empty rooms. See also EPPO-Guideline PP 1/239 Dose expression for plant protection products.</p> <p>11 The dimension (g, kg) must be clearly specified. (Maximum) dose of a.s. per treatment (usually g, kg or L product / ha).</p> <p>12 If water volume range depends on application equipments (e.g. ULVA or LVA) it should be mentioned under “application: method/kind”.</p> <p>13 PHI - minimum pre-harvest interval.</p> <p>14 Remarks may include: Extent of use/economic importance/restrictions.</p>

3 RISK MANAGEMENT

3.1 Reasoned statement of the overall conclusions taken in accordance with the Uniform Principles

3.1.1 Physical and chemical properties

Not relevant for extension of authorisation according article 51.

3.1.2 Methods of analysis

3.1.2.1 Analytical method for the formulation

Not relevant for extension of authorisation according article 51.

3.1.2.2 Analytical methods for residues

Further data for this application are not necessary.

3.1.3 Mammalian Toxicology

The preparation is already registered in France. If used properly and according to the intended conditions of use, adverse health effects for operators, workers, bystanders and residents will not be expected.

For details of personal protective equipment for operators and workers, refer to the Decision in Appendix 1.

3.1.4 Residues and Consumer Exposure

CIDETRACK-CM is already registered in France on apple and pear. In the framework of the intended minor use on walnut, the same GAP and conditions of uses apply.

No new studies are submitted within this application. All data submitted in the context of the EU review of codlemone ((E,E)-8,10-dodecadien-1-ol) and for the registration of the product CIDETRACK-CM (dossier: 2012-1464) have been considered acceptable.

Codlemone belongs to the SCLP group and is candidate for inclusion in the Annex IV of Reg. (CE) n°396/2005. The setting of toxicological reference values (ADI and ARfD) was not considered necessary as part of the EU review for SCLPs in cases of applications via retrievable passive dispensers. In addition, no residue data are required for the application via closed retrievable dispensers because of the unlikelihood of direct contact with food and the low probability of deposition on food or feed following atmospheric dilution (DAR, 2008).

The assessment of consumer exposure is therefore not considered necessary in view of CIDETRACK-CM conditions of uses. No unacceptable risk is expected for the consumers and no specific mitigation measures should apply.

3.1.5 Environmental fate and behaviour and ecotoxicology

The intended minor uses for product CIDETRACK-CM are covered by uses already authorised. The same conditions of uses apply.

3.1.6 Efficacy

According to Article 51 of Regulation (EC) No 1107/2009, the efficacy assessment and the absence of any phytotoxicity risk on the crop is not necessary.

3.2 Conclusions arising from French assessment

Taking into account the above assessment, an authorization **can be granted** as proposed in Appendix 1 – Copy of the product Decision.

3.3 Further information to permit a decision to be made or to support a review of the conditions and restrictions associated with the authorisation

No further information is required.

Appendix 1 – Copy of the French Decision



Décision relative à une demande d'extension d'usages d'un produit phytopharmaceutique

Vu les dispositions du règlement (CE) N° 1107/2009 du 21 octobre 2009 et de ses textes d'application,

Vu le code rural et de la pêche maritime, notamment le chapitre III du titre V du livre II des parties législative et réglementaire.

Vu la demande d'extension d'usage mineur du produit phytopharmaceutique CIDETRAK-CM

de la société **CERTIS EUROPE BV**
enregistrée sous le **n°2019-4328**

Vu les conclusions de l'évaluation de l'Anses du 21 octobre 2020,

L'autorisation de mise sur le marché du produit référencé ci-après **est étendue** aux usages décrits dans la présente décision.

La présente décision s'applique sans préjudice des autres dispositions applicables.

Avertissement :

Le non-respect des conditions décrites ci-dessous peut entraîner le retrait ou la modification de l'autorisation ainsi que toute action incluant des poursuites judiciaires.



Informations générales sur le produit


Nom du produit	CIDETRAK-CM
Type de produit	Produit de référence
Titulaire	CERTIS EUROPE BV 5 rue Galilée 78280 GUYANCOURT France
Formulation	Produit diffuseur de vapeur (VP)
Contenant	230 mg/diffuseur – phéromones de lépidoptères à chaîne linéaire (sous forme de (E,E)-8,10-dodécadien-1-ol)
Numéro d'intrant	2140006
Numéro d'AMM	2130272
Fonction	Attractif phéromone (confusion sexuelle)
Gamme d'usage	Professionnel

L'échéance de validité de la présente décision correspond à celle de l'autorisation du produit.

La présente décision peut être retirée ou modifiée si des éléments le justifient.

A Maisons-Alfort, le

25 NOV. 2020


Caroline SEMAILLE
 Directrice générale déléguée
 en charge du pôle produits réglementés
 Agence nationale de sécurité sanitaire de
 l'alimentation, de l'environnement et du travail (ANSES)



ANNEXE I : Modalités d'autorisation du produit

Liste des nouveaux usages autorisés

En l'absence de mention spécifique, les usages autorisés correspondent à une utilisation en plein champ.
En l'absence de restriction, les usages sont autorisés sur l'ensemble des cultures de la portée de l'usage.

Usages	Dose maximale d'emploi	Nombre maximum d'applications	Stade d'application BBCH	Délai avant récolte (jours)	Zone Non Traitée aquatique (mètres)	Zone Non Traitée arthropodes non cibles (mètres)	Zone Non Traitée plantes non cibles (mètres)	Mention abeilles
12453101 Noyer* ^{**} Tt Part,Aer.* Chenilles foreuses des fruits	500 diffuseurs / ha	1/an	-	-	-	-	-	-
<p>Installation avant le début du vol de première génération. Uniquement sur le carpocapse des pommes et des poires (<i>Cydia pomonella</i>). Usage autorisé dans le cadre de l'article 51 du règlement (CE) n° 1107/2009.</p>								



Conditions d'emploi du produit

Protection de l'opérateur et du travailleur

Les équipements de protection individuelle ci-après sont applicables à tous les usages du produit.

Des informations générales relatives aux bonnes pratiques de protection pourront être mises à disposition de l'utilisateur :

- l'utilisation d'un matériel adapté et entretenu et la mise en œuvre de protections collectives constituent la première mesure de prévention contre les risques professionnels, avant la mise en place de protections individuelles
- le port de combinaison de travail dédiée ou d'EPI doit être associé à des réflexes d'hygiène (ex : lavage des mains, douche en fin de traitement) et à un comportement rigoureux (ex : procédure d'habillage/déshabillage)
- les modalités de nettoyage et de stockage des combinaisons de travail et des EPI réutilisables doivent être conformes à leur notice d'utilisation.

Pour l'opérateur, porter

Lors de la manipulation des diffuseurs

- Gants en nitrile certifiés NF EN ISO 374-1/A1 et NF EN 16523-1+A1 (type A) ;
- EPI vestimentaire conforme à la norme NF EN ISO 27065/A1.

Délai de rentrée en application de l'arrêté du 4 mai 2017

- Non nécessaire.

Respect des limites maximales de résidus (LMR)

- Compte tenu de la méthode d'application du produit, il n'est pas nécessaire de fixer de délai avant récolte pour les usages autorisés.

Protection de l'environnement (milieux, faune et flore)

Protection de l'eau

- SP 1 : Ne pas polluer l'eau avec le produit ou son emballage. Éviter la contamination via les systèmes d'évacuation des eaux à partir des cours de ferme ou des routes.

Recommandations relatives à l'étiquette du produit

Il est recommandé de faire figurer l'information suivante sur l'étiquette :

- Pour les usages mineurs dont l'autorisation a été obtenue dans le cadre de l'article 51 du règlement (CE) n°1107/2009, l'attention de l'utilisateur est attirée sur les risques éventuels de phytotoxicité ou de manque d'efficacité.

Avant tout emploi du produit, il est recommandé à l'utilisateur de s'assurer de son efficacité ou de l'absence de risques éventuels de phytotoxicité sur la culture.

Les autres modalités d'autorisation du produit restent inchangées.

Appendix 2 – Copy of the draft product label as proposed by the applicant

CIDETRAK-CM – Projet d'étiquette pour le dossier de demande d'extension d'usages mineurs (Art 51) – Mai 2019

<p>CIDETRAK® - CM</p> <p>Arbres fruitiers à pépins – Noyer</p> <p>CIDETRAK® - CM - A.M.M. 2130272</p> <p>ATTENTION</p> <p>H400 Très toxique pour les organismes aquatiques.</p> <p>H411 Toxique pour les organismes aquatiques, entraîne des effets néfastes à long terme.</p> <p>Conseils de prudence</p> <p>P264 Se laver soigneusement les mains après manipulation.</p> <p>P270 Ne pas manger, boire ou fumer en manipulant le produit.</p> <p>P280 Porter des gants de protection.</p> <p>P332+P313 En cas d'irritation cutanée : consulter un médecin.</p> <p>P391 Recueillir le produit répandu.</p> <p>P501 Éliminer les diffuseurs et l'emballage comme un déchet dangereux.</p> <p>EUH401 Respectez les instructions d'utilisation afin d'éviter les risques pour la santé humaine et l'environnement.</p> <p>SP1 Ne pas polluer l'eau avec le produit ou son emballage.</p> <p>Délai de rentrée : non applicable.</p>	<p>CERTIS</p> <p>CONFUSION SEXUELLE - Biocontrôle</p>  <p>CIDETRAK® - CM - A.M.M. n° 2130272 – CERTIS Europe B.V.</p> <p>Codlénone [E.E-8,10-dodecadien-1-ol] : 230 mg/diffuseur (4.6% de la formulation totale)</p> <p>Produit diffuseur de vapeur (VP)</p> <p>© Marque déposée Trece Inc. v.05/2019</p> <p>EN CAS D'URGENCE Composer le 15 ou le 112 ou contacter le centre anti poison le plus proche.</p> <p>Puis signaler vos symptômes au réseau Phyt'Altitude (0800 887 887 – appel gratuit depuis un poste fixe). En cas d'incident ou d'accident, appeler le 01.72.11.00.03 (Centre de numéro d'urgence 24h/24h).</p> <p>Fiche de données de sécurité disponible sur : www.quickfids.com ou sur demande à CERTIS au 01.34.91.90.00. ou en scannant le QR code avec votre téléphone mobile.</p>  <p>RESERVE A UN USAGE EXCLUSIVEMENT PROFESSIONNEL Lire attentivement l'étiquette avant toute utilisation.</p>  <p>Distribué par : CERTIS Europe B.V. - France 5, rue Galilée 78280 GUYANCOURT - Tél : 01.34.91.90.00 - Fax : 01.30.43.76.55 N° Agrément : IFO1808 - Distribution de produits phytopharmaceutiques à des utilisateurs professionnels.</p> <p>Fabriqué et conditionné aux Etats-Unis par TRECE Inc. CIDETRAK® is a registered Trademark of TRECE Inc., Adair, OK USA • TRE-0995</p> <p>N° de lot et la date de fabrication : voir indication sur l'emballage.</p> <p>Sachet de 250 diffuseurs</p>
--	---

DESCRIPTIF DU PRODUIT

CIDETRAK® - CM est un diffuseur de phéromone pour la lutte par confusion sexuelle contre le carpocapse sur les arbres fruitiers à pépins et noyer. Les diffuseurs CIDETRAK® sont conçus pour optimiser la protection et le relargage des phéromones dans les vergers tout au long de la période à risque.

CIDETRAK® - CM est un produit utilisable en Agriculture Biologique en application du Règlement (CE) n°834/2007.

Usages autorisés

CIDETRAK® - CM est homologué pour le traitement des parties aériennes.

Cultures	Cibles	Dose d'emploi	Nombre d'applications	Délai Avant Récolte
Pommier (<i>pommier, poirier, cognassier, noyer, néflier, pommette</i>)	Chenilles foreuses des fruits (uniquement sur carpocapse des pommes et poires)	500 diffuseurs / ha	1 / an	non applicable

Extensions d'usages obtenues dans le cadre de l'Article 51 du Règlement (CE) n°1107/2009

Pour les usages mentionnés ci-dessous, l'attention de l'utilisateur est attirée sur les risques éventuels de manque d'efficacité. Au regard des données à sa disposition, CERTIS décline toute responsabilité sur ces éventuels risques. Avant tout emploi du produit, il est recommandé à l'utilisateur de contacter les organisations professionnelles concernées, afin de connaître les précautions et recommandations d'emploi liées à l'utilisation de CIDETRAK® - CM pour ces usages.

Cultures	Cibles	Dose d'emploi	Nombre d'applications	Délai Avant Récolte
Noyer	Chenilles foreuses des fruits (uniquement sur carpocapse des pommes et poires)	500 diffuseurs / ha	1 / an	non applicable

Les Limites Maximales de Résidus, définies au niveau de l'Union Européenne, sont consultables à l'adresse suivante : <http://ec.europa.eu/food/plant/pesticides/eu-pesticides-database>.

CERTIS ne préconise l'utilisation de ce produit que sur les cultures et cibles mentionnées dans le tableau ci-dessus et dans les recommandations d'emploi et, à ce titre, décline toute responsabilité concernant l'élargissement de son utilisation à d'autres cultures et cibles telles que prévues par le catalogue des usages en vigueur. Ainsi, l'attention de l'utilisateur est attirée sur les risques éventuels de non-conformité de cet élargissement permis par ce catalogue.

dans le verger (et en quinconce d'un rang sur l'autre). Leur pose doit impérativement être effectuée sur le tiers supérieur de la canopée (préférentiellement à 30 - 40 cm de la cime des arbres) en veillant à éviter les branches susceptibles de descendre en cours de saison avec le développement des fruits. Les bordures et bouts de parcelles doivent être renforcés (à hauteur de 10% de diffuseurs supplémentaires). Les haies, brise-vents, ainsi que tous les foyers potentiels de contamination doivent également être protégés avec CIDETRAK® - CM.

CIDETRAK® - CM se présente sous la forme d'un diffuseur solide en forme de pièce de puzzle. La pose des diffuseurs peut être effectuée à l'aide d'une cane de pose se présentant sous la forme d'un tube. Voir également la fiche **Mode d'emploi des diffuseurs CIDETRAK®** l'intérieur du carton.

Précautions d'emploi

Le verger protégé doit avoir une forme compacte et présenter une surface minimale de 2 à 3 ha. La parcelle protégée doit être homogène au niveau âge et variété et/ou date de récolte. Plus la surface ~~confusée~~ est importante et homogène, plus la confusion sera efficace.

Éviter les vergers abandonnés ou les implantations trop récentes. Le potentiel d'infestation du verger (historique, environnement parcellaire) doit être connu et modéré. Ainsi, le pourcentage de fruits attaqués par le carpocapse des pommes l'année ~~prochaine~~ la pose doit être inférieur à 1 %. Tous facteurs de risques extérieurs doivent également être évités (vergers abandonnés ou mal protégés adjacents, aires de stockage, bâtiments éclairés la nuit, ...)

Suivi au verger et traitement insecticide de couverture

Un suivi du verger devra impérativement être réalisé à intervalle régulier (toutes les 1 à 2 semaines depuis la date de pose jusqu'à la récolte). Les contrôles se font à l'aide de pièges sexuels disposés au sein de la parcelle ainsi que par des contrôles de dégâts sur pousses et sur fruits en privilégiant les observations sur les zones à risques (bordures, haut des arbres...).

Les traitements insecticides complémentaires devront être réalisés conformément aux recommandations générales émises par les Bulletins de Santé du Végétal ainsi que selon les recommandations du technicien en charge du suivi de la parcelle.

Attention, si les dégâts observés sur fruits dépassent le seuil de 0,5% de fruits attaqués, il est conseillé d'envisager la réalisation d'une intervention insecticide complémentaire.

Remarque importante : CIDETRAK® - CM est adapté à la protection contre le carpocapse et ne permet pas de contrôler d'autres ravageurs. Les autres tordeuses (tordeuse de la pelure, tordeuse orientale du pêcher...) devront faire l'objet d'une lutte spécifique en cas de présence sur la parcelle.

MISE EN ŒUVRE REGLEMENTAIRE ET BONNES PRATIQUES

Protection de l'opérateur

Se laver les mains après toute manipulation et utilisation du produit. Ne pas manger, boire, téléphoner ou fumer lors de l'utilisation du produit.

Pendant toute la durée d'utilisation du produit, veiller à porter une tenue de protection adaptée.

Pour la protection de l'opérateur, pendant la pose des diffuseurs, il est recommandé de porter :

- Des gants ménagers tricotés en polyamide avec une enduction nitrile sur la paume de la main et les doigts ;

- Un EPI vestimentaire conforme à la norme NF EN ISO 27065.

Stockage du produit

- Conserver CIDETRAK® - CM dans son emballage d'origine, hermétiquement fermé, à l'abri de la lumière, dans un endroit sec et bien ventilé et fermant à clé. Protéger du gel. Pour un stockage longue durée (entre 2 saisons), la température de stockage ne doit pas dépasser 5°C.
- Conserver hors de portée des enfants. Conserver à l'écart des aliments et boissons, y compris ceux pour animaux.

Elimination du produit et de l'emballage

Réemploi de l'emballage interdit. Apporter les emballages vidés et pliés à votre distributeur partenaire d'A.D.I.VALOR ou à un autre service de collecte spécifique.

Pour l'élimination des produits non utilisables, conserver le produit dans son emballage d'origine. Interroger votre distributeur partenaire d'A.D.I.VALOR ou faites appel à une entreprise habilitée pour la collecte et l'élimination des déchets dangereux. Les diffuseurs usagés peuvent également être éliminés via la filière A.D.I.VALOR.

PREMIERS SECOURS

- **En cas de contact avec les yeux** : rincer immédiatement et abondamment à l'eau. En cas d'irritation, consulter un spécialiste.
- **En cas de contact avec la peau** : laver la peau abondamment à l'eau savonneuse. En cas d'irritation, consulter un médecin.
- **En cas d'inhalation** : rester au repos. Consulter un médecin, en cas de difficultés respiratoires.
- **En cas d'ingestion** : mode d'exposition peu probable. Consulter un médecin.
- **En cas d'intoxication animale** : contacter votre vétérinaire.

AVERTISSEMENT

Respecter les usages, doses, conditions et précautions d'emploi mentionnés sur l'emballage. Ils ont été déterminés en fonction des caractéristiques du produit et des applications pour lesquelles il est préconisé. Conduire sur ces bases, la culture et les traitements selon la bonne pratique agricole en tenant compte, sous la responsabilité de l'utilisateur, de tous facteurs particuliers concernant votre exploitation, tels que la nature du sol, les conditions météorologiques, les méthodes culturales, les variétés végétales, la résistance des espèces...

Le fabricant garantit la qualité du produit vendu dans son emballage d'origine et stocké selon les conditions préconisées, ainsi que sa conformité à l'Autorisation de Mise sur le Marché délivrée par les Autorités Compétentes françaises.

Pour les denrées issues de cultures protégées avec cette spécialité et destinées à l'exportation, il est de la responsabilité de l'exportateur de s'assurer de la conformité avec la réglementation en vigueur dans le pays importateur.

Toute reproduction totale ou partielle de cette étiquette est interdite. CERTIS ne saurait être tenu en aucun cas pour responsable des conséquences inhérentes à toute copie de cette étiquette, à la diffusion ou à l'utilisation non autorisée de cette dernière.

Appendix 3 – Letter(s) of Access

Not applicable